 HAMILTON  
CHANGE MACHINE CATALOG

# 100 YEARS

EST. 1921

On behalf of Hamilton Manufacturing Corp., I want to extend my gratitude for your continued partnership and support. We appreciate the trust you place in us as your supplier.

Over the last 100+ years, we've evolved as leaders across many industries. One thing has stayed consistent over the last century: our commitment to excellence for our customers. Without your support, trust, and business, we wouldn't be where we are today.

I am proud to present our latest change machine catalog. This catalog reflects our ongoing dedication to delivering you the best products and services. We encourage you to reach out with any questions or to connect with our Sales team. Building strong, personal relationships is at the heart of our business, and we would love the opportunity to discuss how Hamilton can support your success.

Thank you for choosing Hamilton.

**Kevin Pipes**  
Director of Sales



# TABLE OF CONTENTS

## REAR-LOAD CHANGE MACHINES

3600RL.....	4
DRS .....	5
ER-60.....	6
RNS .....	7
BILL TO BILL.....	8
BILL TO BILL MINI.....	9

## FRONT-LOAD CHANGE MACHINES

3600FL .....	10
1200FL-C.....	11
2000V .....	12
VN-1.....	13

## CHANGE MACHINE ACCESSORIES .....

14

## D.A.N. SYSTEM .....

15

## SALES .....

16

## CONTACT A DEPARTMENT .....

19

*All prices and configurations subject to change without notice*

# 3600RL

## REAR LOAD CHANGE MACHINE



### 3600RL BASE CONFIGURATION

#### AF32FZZQQQBAZZZ

- Two (2) XE bill acceptors/validators with 1,000 bill capacity
- Three (3) hoppers with 14,400 quarter capacity
- Two (2) Audit Pro Controllers
- 7 gauge stainless steel faceplate
- 11 gauge carbon steel cabinet
- High security MEDECO® locks
- Heater (only available with XE validator)
- Weather shield (only with XE or Talos validators)
- ETL Listed
- Cabinet & minimum wall opening: 34 7/8" H x 21 1/4" W x 14 3/8" D (88.6 cm H x 54 cm W x 36.5 cm D)
- Faceplate: 38 3/8" H x 24 3/4" W (97.5 cm H x 63 cm W)
- Power: 120 VAC, 60 Hz
- Weight: 325 lbs /147 kg (approx.)

### 14,400 QUARTER CAPACITY

- Two (2) validators / Three (3) hoppers
- 1 validator / Three (3) hoppers

### 9,600 QUARTER CAPACITY

- Two (2) validators / Two (2) hoppers
- One (1) validator / Two (2) hoppers

### 4,800 QUARTER CAPACITY

- One (1) validator / One (1) hopper

### BILL ACCEPTOR/VALIDATOR OPTIONS

- Talos (700 bill capacity for US)
- Coinco DEDUCT

### OPTIONS

- Handheld Kit (interchangeable between machines) **[part #100-0136]**
- IDX X12 coin acceptor
- Slugbuster coin acceptor
- Token face panel
- D.A.N.-ready controller (not available when two XE validators are being used)

3600RL is a direct replacement to the discontinued RL-2/RL-3 change machine.  
A Handheld Kit is *required* for programming.

Available in:





#### **DRS BASE CONFIGURATION**

**AE22FZZQQZAAZZZ**

- Two (2) XE bill acceptors/validators with 1,000 bill capacity
- Two (2) hoppers with 9,600 quarter capacity
- Two (2) C-2000 Controllers
- 7 gauge stainless steel faceplate
- 11 gauge carbon steel cabinet
- High security MEDECO® locks
- Heater (only available with XE validator)
- Weather shield (only with XE or Talos validators)
- ETL Listed
- Cabinet & minimum wall opening: 34 3/4" H x 18 3/16" W x 14 7/16" D (88.3 cm H x 46.4 cm W x 36.8 cm D)
- Faceplate: 38 5/16" H x 21 5/8" W (97.3 cm H x 54.9 cm W)
- Power: 120 VAC, 60 Hz
- Weight: 230 lbs /104.3 kg (approx.)

#### **BILL ACCEPTOR/VALIDATOR OPTIONS**

- Talos (700 bill capacity for US)
- Coinco

#### **OPTIONS**

- Handheld Kit (interchangeable between machines) **[part #100-0136]**
- Token face panel
- D.A.N.-ready controllers



# ER-60

## REAR LOAD CHANGE MACHINE



### ER-60 BASE CONFIGURATION

#### AA11FZZQZZAAZZZ

- One (1) XE bill acceptor/validator with 1,000 bill capacity
- One (1) hopper with 2,400 quarter capacity
- One (1) C-2000 Controller
- 7 gauge stainless steel faceplate
- 11 gauge carbon steel cabinet
- High security MEDECO® locks
- Heater (only available with XE validator)
- Weather shield (only available with XE or Talos validators)
- ETL Listed
- Cabinet & minimum wall opening: 20 3/4" H x 15" W x 13" D (52.7 cm H x 38.1 cm W x 33 cm D)
- Faceplate: 24 3/4" H x 18" W (62.9 cm H x 45.7 cm W)
- Power: 120 VAC, 60 Hz
- Weight: 135 lbs /61 kg (approx.)

### ER-60 XT

#### AB11FZZQZZAAZZZ

- The ER-60-XT has the same features as the standard ER-60, but includes an extended face plate and replaces the S-540-XRS

### BILL ACCEPTOR/VALIDATOR OPTIONS

- Talos (700 bill capacity for US)
- Coinco

### OPTIONS

- Handheld Kit (interchangeable between machines) **[part #100-0136]**
- Token face panel
- D.A.N.-ready controller



#### **RNS BASE CONFIGURATION**

##### **AC11FZZQZZAAZZZ**

- One (1) XE bill acceptor/validator with 1,000 bill capacity
- One (1) hopper with 4,800 quarter capacity
- One (1) C-2000 Controller
- 7 gauge stainless steel faceplate
- 11 gauge carbon steel cabinet
- High security MEDECO® locks
- Heater (only available with XE validator)
- Weather shield (only available with XE or Talos validators)
- ETL Listed
- Cabinet & minimum wall opening: 34 1/2" H x 9" W x 13" D (89.6 cm H x 22.9 cm W x 33 cm D)
- Faceplate: 38 1/2" H x 12" W (97.8 cm H x 30.5 cm W)
- Power: 120 VAC, 60 Hz
- Weight: 150 lbs /68 kg (approx.)

#### **RNS XT**

##### **AD11FZZQZZAAZZZ**

- The **RNS XT** has the same features as the standard RNS, but includes an extended face plate and replaces the CM1-XRS

#### **BILL ACCEPTOR/VALIDATOR OPTIONS**

- Talos (700 bill capacity for US)
- Coinco

#### **OPTIONS**

- Handheld Kit (interchangeable between machines) **[part #100-0136]**
- Token face panel
- D.A.N.-ready controller



# BILL TO BILL

## REAR LOAD CHANGE MACHINE



### BILL TO BILL BASE CONFIGURATION

#### AT11FZZQZZMAZZZ

- One (1) XE bill acceptor/validator with 1,000 bill capacity
- One (1) hopper with 4,800 quarter capacity
- Cabinet heater
- 7 gauge stainless steel faceplate
- 11 gauge carbon steel cabinet
- High security MEDECO® locks
- Weather shield (only available with XE or Talos validators)
- Dispenses up to 1,000 bills
- Programmable payouts
- Cabinet & minimum wall opening: 34 3/4" H x 18 3/16" W x 14 7/16" D (88.3 cm H x 46.4 cm W x 36.8 cm D)
- Faceplate: 38 5/16" H x 21 5/8" W (97.3 cm H x 54.9 cm W)
- Power: 120 VAC, 60 Hz
- Weight: 230 lbs /104.3 kg (approx.)

### BILL ACCEPTOR/VALIDATOR OPTIONS

- Talos High Denomination (accepts \$1 - \$100 bills)
- Coinco

### OPTIONS

- No hopper
- Token face panel
- Spare bill cassettes **[part #49-9533]**
- Bill cassette lock **[part #63-5061]**
- Handheld Kit (interchangeable between machines) **[part #100-0136]**

A Handheld Kit is *required* for programming.

Available in:



# BILL TO BILL MINI

## REAR LOAD CHANGE MACHINE



### BILL TO BILL MINI BASE CONFIGURATION

#### AXZ1FZZZZZPAZZZ

- One (1) XE bill acceptor/validator with 1,000 bill capacity
- 7 gauge stainless steel faceplate
- 11 gauge carbon steel cabinet
- High security MEDECO® locks
- Weather shield (only available with XE or Talos validators)
- Dispenses up to 1,000 bills
- Programmable payouts
- No hopper/coin acceptance
- Cabinet & minimum wall opening: 24 1/4" H x 15" W x 14" D (88.3 cm H x 46.4 cm W x 36.8 cm D)
- Faceplate: 28 1/4" H x 18" W (71.8 cm H x 45.7 cm W)
- Power: 120 VAC, 60 Hz
- Weight: 50 lbs /22.7 kg (approx.)

### BILL ACCEPTOR/VALIDATOR OPTIONS

- Talos High Denomination (accepts \$1 - \$100 bills)
- Coinco

### OPTIONS

- Spare bill cassettes **[part #49-9533]**
- Bill cassette lock **[part #63-5061]**
- Handheld Kit (interchangeable between machines) **[part #100-0136]**

A Handheld Kit is *required* for programming.  
A cabinet heater is *not* available for this product.

# 3600FL

## FRONT LOAD CHANGE MACHINE



### 3600FL BASE CONFIGURATION

#### AW31FZZQQQAAZZZ

- One (1) XE bill acceptor/validator with 1,000 bill capacity
- Three (3) hoppers with 14,400 quarter capacity
- One (1) C-2000 Controller
- 11 gauge carbon steel cabinet
- High security MEDECO® locks
- Weather shield (only with XE or Talos validators)
- ETL Listed
- Cabinet: 41 7/8" H x 20" W x 12 7/8" D (105 cm H x 50.8 cm W x 32.7cm D)
- Power: 120 VAC, 60 Hz
- Weight: 300 lbs /136.1 kg (approx.)

### 14,400 QUARTER CAPACITY

- One (1) validator / Three (3) hoppers

### 9,600 QUARTER CAPACITY

- One (1) validator / Two (2) hoppers

### 4,800 QUARTER CAPACITY

- One (1) validator / One (1) hopper

### BILL ACCEPTOR/VALIDATOR OPTIONS

- Talos (700 bill capacity for US)
- Coinco

### OPTIONS

- Handheld Kit (interchangeable between machines) [[part #100-0136](#)]
- IDX X12 coin acceptor
- Slugbuster coin acceptor
- Token face panel
- D.A.N.-ready controller
- Large console base [[part #61-0578A](#)]

3600FL is a direct replacement to the discontinued HS-2/HS-3 change machine.

# 1200FL-C

## FRONT LOAD CHANGE MACHINE



### 1200FL-C BASE CONFIGURATION

#### AH11FZZQZZAZZZZ

- One (1) XE bill acceptor/validator with 1,000 bill capacity
- One (1) hopper with 4,800 quarter capacity
- One (1) C-2000 Controller
- 11 gauge carbon steel cabinet
- High security MEDECO® locks
- Indoor use only
- ETL Listed
- Cabinet: 26" H x 19 1/8" W x 13" D (66 cm H x 48.6 cm W x 33 cm D)
- Power: 120 VAC, 60 Hz
- Weight: 1200FL-C 130 lbs /59 kg (approx.) | 1200FL-S 160 lbs /72.6 kg (approx.)

### 1200FL-S

#### AI11FZZQZZAZZZZ

- The 1200FL-S includes the same features as the FL-C, but has an 11 gauge stainless steel cabinet and is suitable for both indoor and outdoor use

### BILL ACCEPTOR/VALIDATOR OPTIONS

- Talos (700 bill capacity for US)
- Coinco

### OPTIONS

- Handheld Kit (interchangeable between machines) [[part #100-0136](#)]
- IDX X12 coin acceptor
- Slugbuster coin acceptor
- Token face panel
- D.A.N.-ready controller
- Medium console base [[part #61-0029A](#)]

1200FL-C is a direct replacement to the discontinued H-1 change machine.  
1200FL-S is a direct replacement to the discontinued SS-1 change machine.

# 2000V

## FRONT LOAD CHANGE MACHINE



### 2000V BASE CONFIGURATION

#### AN11EZZQZZAZZZZ

- One (1) Coinco validator with 700 bill capacity
- One (1) hopper with 8,000 quarter capacity
- One (1) C-2000 Controller
- 12 gauge carbon steel cabinet
- High security MEDECO® locks
- ETL Listed
- Cabinet Size: 34" H x 18" W x 13 1/4" D (86.4 cm H x 45.7 cm W x 33.7 cm D)
- Power: 120 VAC, 60 Hz
- Weight: 2000V 135 lbs/61.2 kg (approx.) | 2600V 168 lbs/76.2 kg (approx.)

### 2600V

#### AN21EZZQQZAZZZZ

- The 2600V has the same features as the 2000V, but includes a second hopper that holds an additional 2,400 quarters

### BILL ACCEPTOR/VALIDATOR OPTIONS

- Talos (700 bill capacity)
- XE (1,000 bill capacity)

### HEADER & BASE OPTIONS

- Floor mount complete base kit (includes header, base, footer) **[part #100-0107]**
- Floor mount header/base only kit **[part #100-0105]**
- Floor mount footer only **[part #100-0108]**
- Floor mount base only **[#100-0104]**
- Header only **[part #100-0103]**

### OPTIONS

- Handheld Kit (interchangeable between machines) **[part #100-0136]**
- IDX X12 coin acceptor
- Change face wrap (red, black, blue, or green color options)
- Token face wrap (red, black, blue, or green color options)
- Audit Pro Controller (Handheld Kit required for programming) **[part #49-2004A]**

*Recommended for indoor attended locations only*



#### **VN-1 BASE CONFIGURATION**

##### **AK11FZZQZZAZZZ**

- One (1) XE bill acceptor/validator with 1,000 bill capacity
- One (1) hopper with 4,800 quarter capacity
- One (1) C-2000 Controller
- 12 gauge carbon steel cabinet
- High security MEDECO® locks
- Cabinet Size: 36 3/8" H, 9 15/16" W, 13 1/4" D (92.4 cm H x 25.4 cm W x 33.6 cm D)
- Power: 120 VAC, 60 Hz
- Weight: 115 lbs/52.2 kg (approx.)

#### **BILL ACCEPTOR/VALIDATOR OPTIONS**

- Talos (700 bill capacity)
- Coinco (700 bill capacity)

#### **HEADER & BASE OPTIONS**

- Header & base kit **[part #61-0576A]**

#### **OPTIONS**

- Handheld Kit (interchangeable between machines) **[part #100-0136]**
- Token face wrap
- Token hopper (must indicate token size when ordering)
- Red painted cabinet
- Audit Pro Controller (Handheld Kit required for programming) **[part #49-2004A]**

*Recommended for indoor attended locations only*

# ACCESSORIES & RETROFIT KITS

## ACCESSORIES

- Handheld Kit (used with the Audit Pro/DCC/DTV/Bill to Bill/CCD controllers) **[part #100-0136]**
- Locking hopper cover (excluding ER-60) **[part #11-0052A]**
- Locking stacker cover (with XE stacker only) **[part #36-0052A]**
- Out of service relay kit (to send notification if not connected to D.A.N.) **[part #47-0155A]**
- Spare bill cassettes (for Bill to Bill machines only) **[part #49-9533]**
- Bill cassette locks (for Bill to Bill machines only) **[part #63-5061]**

## RETROFIT KIT

- Serial to Ethernet converter for existing change machine retrofits (required for each changer to be connected to D.A.N.), includes controller **[part #100-0260]**

# HEADERS & BASES

## 3600FL

*Color Options: Black or Grey*

- Large console base **[part #61-0578A]**

## 1200FL-C/1200FL-S

*Color Options: Black or Grey*

- Medium console base **[part #61-0029A]**

## 2000V/2600V

*Color Options: Black or Red*

- Floor mount complete base kit (includes header, base, footer) **[part #100-0107]**
- Floor mount header/base only kit **[part #100-0105]**
- Floor mount footer only **[part #100-0108]**
- Floor mount base only **[#100-0104]**
- Header only **[part #100-0103]**

## VN-1

*Color Options: Black or Red*

- Header & base kit **[part #61-0576A]**



Medium console base



Large console base



Footer for 2000V/2600V



VN-1 shown with Header & Base Kit

# D.A.N.

## DATA ACCESS NETWORK

The **D.A.N.** connects Hamilton equipment to Hosted Solutions for remote reporting and monitoring.



### HOSTED SOLUTIONS INTEGRATION

Networks Hamilton equipment at a single location and pushes financial data and statuses to Hosted Solutions

### LOYALTY PROGRAMS

Pushes Custom Mobile App codes, LPR reads, RFID tag reads, receipt codes, and Single Use Codes to Hosted Solutions for validation

### CREDIT CARD CLEARING

Provides high-speed credit card clearing for Gold Line®, DTT's/DTI's, and change machines


### GIFT CARDS

Promote your business with Hamilton Gift Cards, customized to your brand. D.A.N. processes all gift card transactions

### NOTIFICATIONS

Receive email or SMS status and error alerts for equipment connected to D.A.N.\*

*Example multi-site layout:*



### ECONO D.A.N. G5 COMPUTER SYSTEM [part #49-9758]

- Windows 10 operating system
- Connects Hamilton equipment (HTK, CTK, Commander, Gold Line®, change machines, DTI's/DTT's) to Hosted Solutions
- Does not include cabinet housing.
- Not suitable for use in wet environments
- Requires customer-supplied keyboard, monitor, and mouse
- Power: 120 VAC, 60 Hz | Weight: 1.95 lbs/0.88 kg

### ACCESSORIES

- Card reader to activate, add balance, and check balance of Gift Cards [part #49-9442]

D.A.N. systems include Validated Payment Application (PCI PA-DSS) software for credit card processing, Gift Card acceptance, and remote management. If using mag stripe credit card processing, an account with E-xact Transactions Ltd. (secure gateway provider) is required.

\*requires access to internet provider's SMTP settings

# SALES

Speak with a Hamilton Sales Representative in your territory to learn more about our products and the best solution for you.

## JERRY SMITLEY

**Great Lakes, Mid-Atlantic, & Eastern Sales**

 [jsmitley@hamiltonmfg.com](mailto:jsmitley@hamiltonmfg.com)  
 (419) 867-4852, x208

## SCOTT ADAIR

**Southern & Mid-West Sales**

 [sadair@hamiltonmfg.com](mailto:sadair@hamiltonmfg.com)  
 (419) 867-4852, x259

## TIM MORGAN

**Western U.S. & International Sales**

 [tmorgan@hamiltonmfg.com](mailto:tmorgan@hamiltonmfg.com)  
 (419) 867-4852, x207



## NOTES

## NOTES

# CONTACT A DEPARTMENT

## SALES

✉ sales@hamiltonmfg.com

☎ (888) 723-4858

✉ (419) 867-4850

## CUSTOMER SERVICE

✉ customerservice@hamiltonmfg.com

☎ (419) 867-4852

✉ (419) 867-4857

## HOSTED SOLUTIONS SUPPORT

✉ hssupport@hamiltonmfg.com

☎ (419) 867-4858, x454

## CREDIT CARD SUPPORT

✉ advancedsystems@hamiltonmfg.com

☎ (419) 867-4852

## ACCOUNTS RECEIVABLE

✉ billing@hamiltonmfg.com

☎ (419) 867-4852

✉ (419) 867-4856

## PARTS

✉ parts@hamiltonmfg.com

☎ (419) 867-4852

✉ (419) 867-4857

## MARKETING

✉ marketing@hamiltonmfg.com

☎ (419) 867-4858




## GET IN TOUCH

 1026 Hamilton Dr.  
Holland, OH 43528

 (419) 867-4858

 [www.hamiltonmfg.com](http://www.hamiltonmfg.com)

 [sales@hamiltonmfg.com](mailto:sales@hamiltonmfg.com)

 HAMILTON