ChoiceWash XT®

7 HYBRID SOFT-TOUCH + TOUCH-FREE IN-BAY AUTOMATIC






Innovations to separate you from the competition.

3 3-BRUSH SOFT-TOUCH TECHNOLOGY



Our patented SofTecs® foam material gently and safely cleans and polishes vehicles while minimizing the electricity, water and chemicals consumed when customers choose a soft-touch wash.

MERCHANDISING DISPLAY



Customized animated graphics help brand your site, illustrate wash functions, up-sell to premium wash packages, and cross-sell to other profit centers.

7 TURBO TOUCH-FREE TECHNOLOGY



The same contour-following touch-free cleaning system found on Mark VII's AquaJet XT® 700, which utilizes a high pressure pumping plant plus 28 zero degree turbo nozzles with built-in rocker rocker panel blasters, accommodates customers who prefer a touchless wash.

7 CONTOURING ON-BOARD DRYER



Tracks vehicle from the optimal distance to minimize energy consumption while avoiding obstacles such as antennas and roof racks. AquaDri® static on-board and freestanding dryers are also available for the ChoiceWash XT.

尽 XI00 CONTROLLER



Provides unparalleled flexibility to create soft-touch, touch-free and combination wash programs and to control speed to ensure optimal cleaning results and maximize choices for the customer.

7 LED DIRECTIONAL LIGHTING



Bright green, red and yellow lights augmented by reflective decals on both sides of the gantry ensure customers are safely guided into position.

Technology to clean better and lower operating costs.



SELF-ADJUSTING SIDE WASHERS CLEAN BETTER

Side washers angle out on the first pass and in on the second pass, ensuring that curved surfaces at the top and bottom are thoroughly scrubbed.

→ CONTOURING SPRAY ARMS FOR GREATER EFFICIENCY

Contour-following spray arms stay close to the car, achieving excellent coverage while consuming less water and chemicals.

7 IDEAL SPEED FOR GREATER CUSTOMER CONFIDENCE

The travel and lift drives are frequency controlled for a smooth start and variable speed control. There is less stress on components, the machine runs smoothly and customers perceive the carwash to be safer.

7 COMBINATION WASHING FOR THE BEST OF BOTH WORLDS

Combine a turbo touch-free pre-wash with SofTecs foam brushing on your top wash package to give your customers the best possible wash and drive incremental profits for you.

Revenue enhancing options to boost your bottom line.

MHEELJET® WHEEL CLEANING SYSTEM



Our premium wheel cleaning system is angled for better centering, has larger brushes for better coverage, and integrates high pressure for added cleaning power. Our basic HubScrub® system is also available.

7 TRIPLE-FOAM DETERGENT OR CONDITIONER



Customers love the colorful display and scent provided by tri-color foamed chemicals used to enhance the cleaning process and are willing to pay more for wash packages that include them.

7 PREMIUM WAX SYSTEM



When combined with the typical clearcoat and spot free rinse applications, the premium wax system enables the use of chemicals such as Rain-X $^{\odot}$ to provide extended protection of all vehicle surfaces while driving incremental revenue for the carwash operator.

How green is it?								
_	Time (min:sec)		Chemical (oz)		Water (gal)		Electricity (kW)	
	Volvo S-40	Ford Explorer	Volvo S-40	Ford Explorer	Volvo S-40	Ford Explorer	Volvo S-40	Ford Explorer
Soft-Touch Premium Wash	3:25	3:35	1.02	1.08	21.7	22.7	0.732	0.765
Soft-Touch Express Wash	2:00	2:06	4.16	4.42	14.5	15.9	0.381	0.400
Touch-Free Premium Wash	3:35	3:54	3.18	3.41	34.2	40.1	0.831	0.913
Touch-Free Express Wash	2:10	2:26	2.18	2.36	23.2	28.9	0.514	0.586
Detailed data is available from your Mark VII representative.								

We share our numbers and let you decide for yourself. We're confident you'll find that the ChoiceWash XT is as energy efficient and cost effective to operate as any hybrid system on the market.

DIMENSIONS:

- 7 Machine Height without dryer: 123" / 313cm
- Machine Height with on-board static dryer: 142" / 360cm
- 7 Machine Height with on-board contouring dryer: 128" / 325cm
- Machine Width: 150" / 381cm
- 7 Machine Depth at top: 72" / 183cm
- Machine Depth at bottom: 59" / 150cm
- 7 Machine Weight: 3,000 lbs / 1,361 kg

▼ VEHICLE CLEARANCE:

- 7 Height: 89" / 226cm
- Width at mirrors: 105" / 267cm
- Width at wheel brushes: 85" / 216cm

∂ BAY SIZE:

- Minimum Height without dryer: 125" / 318cm for standard energy chain, 155" / 394cm for narrow bay energy chain option, not including shims
- $\ensuremath{\nearrow}$ Minimum Height for on-board contouring dryer: 130" / 330cm, not including shims
- 7 Minimum Height for on-board static dryer: 144" / 366cm, not including shims
- Minimum Width: 178" / 452cm (159" / 404cm with narrow bay option)
- Minimum Length for triple-brushing in front and back: maximum vehicle length + 144" / 366cm
- Minimum Length for double-brushing in front and triple-brushing in back: maximum vehicle length + 120" / 305cm

JUTILITIES

- 7 Electrical: 208-230 VAC 60Hz 3, 25 amp without dryer
- 7 Electrical: 208-230 VAC 60Hz 3,75 amp with 15 HP or 20 HP on-board dryer
- 7 Electrical: 208-230 VAC 60Hz 3 , 125 amp with 30 HP on-board dryer
- 7 Minimum Water Pressure: 50 PSI / 3.5 bar
- Maximum Water Pressure: 80 PSI / 5.5 bar
- 7 Minimum Water Demand: 28 GPM / 106 LPM
- 7 Minimum Air Supply: 1/2" line with 80 PSI / 5.5 bar
- 7 Maximum Air Supply: 120 PSI / 8.3 bar
- Air Consumption Demand: Constant 1.5 CFM / 43 LPM

Intermittent 3 CFM / 85 LPM
Triple Foam: 25 CFM / 708 LPM

The neXT generation hybrid rollover from the global leader in vehicle cleaning systems.



EVOLUTIONARY WITH A TOUCH OF REVOLUTIONARY

- Ideal hybrid system for gas stations/ convenience stores and investor sites
- Ombines the soft-touch technology of SoftWash XT® with the touch-free turbo technology of AquaJet XT® onto a single platform
- Adds new technology to enhance wash quality and customer satisfaction while generating incremental revenue for the operator
- Engineered and manufactured in the USA to achieve the lowest total cost of ownership

Mark VII + WashTec: Your ideal business partners.









Mark VII is the North American subsidiary of WashTec AG of Germany, the world's leading manufacturer of vehicle washing equipment. Each day we wash over 2 million vehicles in over 35,000 locations and over 60 countries worldwide.

MARK VII'S PRODUCTS AND SERVICES INCLUDE:

- → AquaJet XT® touch-free rollover
- ∇ SoftWash XT® soft-touch rollover
- 7 SoftWash DF® soft-touch car dealer/fleet rollover
- ChoiceWash XT® hybrid rollover
- 7 Turbolet XT® touch-free overhead
- → SoftLine® tunnel
- 7 Premium and value line chemicals
- Ancillary products (entry systems, water treatment systems, etc.)
- → Site selection assistance
- 7 Custom site and bay layouts
- Service contracts
- → Technical support
- Wash bay refurbishment

© 2015 Mark VII Equipment Inc. Specifications are subject to change without notice. WashTec AG of Germany is not affiliated with Integrated Services Inc., which markets a tunnel controller product in the U.S. under the trademark WashTEC. Rain-X is a trademark of Zep Inc.



Mark VII Equipment Inc. 5981 Tennyson Street Arvada, CO 80003

Phone: 800.525.8248 or 303.423.4910

Fax: 303.430.0139

Email: markvii@markvii.net

Web: www.markvii.net