

RED HOT Safety Data Sheet Revision Date: 1/4/2021

1.1 Product Identifier

Trade Name	RED HOT
Product Form	Mixture
Product Code	10-10013

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of Product Alkaline Presoak

1.3 Details of the Supplier of the safety data sheet

ChemQuest Inc. 21365 Hamburg Ave. Lakeville, MN 55024 (877)437-3478 infocq@chemquestinc.com

1.4 Emergency telephone number

Emergency Number ChemTrec 1-800-424-9300

SECTION 2: Hazards Identification

2.1 Classification of the substance

Classification

Hazard Code	Hazard Class	Hazard Category
H314	Skin corrosion/irritation	1B
H370	Specific target organ toxicity, single exposure	1
H373	Specific target organ toxicity, repeated exposure	2

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAEFTY PRACTICES

2.2 Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US): Danger

Hazard Statements (GHS-US):

H314: Causes severe skin burns and eye damage

H370: Causes damage to organs

H373: May cause damage to organs through prolonged or repeated exposure

Precautionary Statements (GHS-US):

P260: Do not breathe dust/fumes/gas/mist/vapors/spray

P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P280: Wear protective gloves/protective clothing/eye protection/face protection

P310: Immediately call a POISON CENTER or doctor/physician

P321: Specific treatment (see section 4)

P363: Wash contaminated clothing before reuse

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

RED HOT

Safety Data Sheet

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P307+P311: IF exposed: Call a POISON CENTER or doctor/physician

P405: Store locked up

P501: Dispose of contents/container in accordance with local, state and federal authorities.

2.3 Other Hazards

No additional information available

2.4 Unknown acute toxicity (GHS-US)

No Data Available

SECTION 3: Composition/Information on Ingredients

3.1 Substance

Not applicable

3.2 Mixture

Ingredient Name	CAS #	Composition
Water	7732-18-5	>75%
Sodium Hydroxide	1310-73-2	1-5%
Sodium Tripolyphosphate Anhydrous	7758-29-4	1-5%
Nonylphenol, ethoxylated	127087-87-0	1-5%
Tetrasodium ethylenediamine tetraacetate	64-02-8	1-5%

SECTION 4: First Aid Measures

5
Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
IF INHALED. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Use artificial respiration and oxygen if needed. If irritation persists, seek medical attention.
IF ON SKIN. IF ON SKIN (or hair). Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. Immediately rinse with plenty of water (for at least 15 minutes).
IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). If irritation persists, seek medical attention.
IF SWALLOWED. Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call physician immediately.
ffects, both acute and delayed
Causes severe skin burns and eye damage. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure.
May cause headache, nausea and irritation of respiratory tract.
Causes severe skin burns and eye damage.
Causes severe skin burns and eye damage.
May cause gastrointestinal irritation, nausea, vomiting, and diarrhea if swallowed.
May cause damage to organs through prolonged or repeated exposure.
attention and special treatment needed

No additional information available

SECTION 5: Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray.

RED HOT

Safety Data Sheet

5.2 Special hazards arising from the substance or mixture		
Fire Hazard	The product is not flammable.	
Explosion Hazard	The product is not explosive.	
Reactivity	Concentrated solution contact with soft metals(e.g. aluminum) will produce hydrogen gas.	
5.3 Special hazards arising from the substance or mixture		
Firefighting instructions	Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.	
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures	
Ventilate area. Avoid breathing vapors, mist or gas. Spill should be handled by trained clean-up crews. For personal protection see Section 8.	
el	
Wear Protective equipment as described in Section 8.	
Contain the spill. Do not let product enter drains. Remove unnecessary personnel.	
Wear Protective equipment as described in Section 8.	
aters. Notify authorities if liquid enters sewers or publics waters.	
ainment and cleaning up	
Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.	
Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).	

6.4 reference to other sections

No additional information available.

SECTION 7: Handling and Storage		
7.1 Precautions for safe handling	9	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Wear proper safety equipment including chemically resistant gloves and safety glasses or goggles. Use with adequate ventilation. Wash thoroughly after handling. Do not get in eyes or on skin. Do not breathe mist or vapor. Do not swallow. Store between 50 F & 100 F. Keep separate from incompatible materials.	
7.2 Conditions for safe storage, including and incompatibilities		
Storage conditions	Store locked up. Store in approved containers only. Keep container in a cool, well ventilated place away from heat sources and incompatible materials (See Section 10.5). Keep container tightly closed.	
7.3 Specific end uses		

No additional information

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless listed stated below:

Sodium hydroxide, CAS # 1310-73-2			
OSHA PEL (TWA)	OSHA PEL (STEL)	OSHA PEL (Ceiling)	ACGIH-TLV
2 mg/m3	Not Established	Not Established	2 mg/m3(Ceiling)

8.2 Exposure Controls

RED HOT Safety Data Sheet

Personal protective equipment	Protective safety glasses or goggles. Chemically resistant gloves. Protective clothing. Possibly a face shield and or respiratory protection of the dependent type.
Hand protection	Chemical resistant gloves.
Eye protection	Use chemical resistant safety glasses or goggles. A face shield should be worn when the possibility exists for eye or face contact due to spraying liquid or airborne particles.
Skin and body protection	Wear long sleeves. Wear suitable protective clothing. Possibly a face shield.
Respiratory protection	Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	Tinted Liquid
Color	Red
Odor	None
Odor threshold	No data available
рН	13.5
Relative Evaporation rate (butyl	No data Available
Melting point	No data Available
Freezing point	No data Available
Boiling point	No data Available
Flash point	No Data Available
Self ignition point	No data Available
Decomposition temperature	No data Available
Flammability (solid, gas)	No data Available
Vapor pressure	No data Available
Relative vapor density at 20° C	No data Available
Relative Density	1.082 g/ml
Solubility	Water soluble
Log Pow	No data Available
Log Kow	No data Available
Viscosity: Kinematic	No data Available
Viscosity: dynamic	No data Available
Explosive properties	No data Available
Oxidizing properties	No data Available
Explosive Limits	No data Available

9.2 Exposure Controls

No additional information available

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with reactive metals (e.g. aluminum) may result in the generation of hydrogen gas.

10.2 Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions

Corrosive in contact with metals. Contact with metallic substances may release flammable hydrogen gas. Contact with strong acids can create excess heat and cause spattering.

10.4 Conditions to avoid

None known

10.5 Incompatible Materials

RED HOT Safety Data Sheet

Avoid contact with: zinc, bases, copper, nickel, amines, ammonia, aluminum, chlorine, oxidizers, strong acids, light metals, copper alloys, acid chlorides, inorganic acids, inorganic bases, strong oxidizers, amphoteric metals, hydrogen peroxide, halogenated materials, and prolonged contact with alkali sensitive metals or alloys

10.6 Hazardous decomposition products

Thermal decomposition can result in: hydrocarbons, sodium oxides, carbon oxides, nitrogen oxides, and organic compounds

SECTION 11: Toxicological information

11.1 Information on toxicological effects		
Oral LD50: > 2000 mg/kg (rat) Calculated		
Dermal LD50: > 2000 mg/kg (rabbit) Calculated		
Inhalation LD50: > 5 mg/l (Dust/mist (Rat)) (Calculated	
Skin Corrosion/irritation	Causes severe skin burns and eye damage	
Serious eye damage/irritation	Causes severe skin burns and eye damage	
Respiratory or skin sensitization	Not Classified	
Germ cell mutagenicity	Not Classified	
Carcinogenicity	Not Classified	
Reproductive toxicity	Not Classified	
Specific organ toxicity single exposure	Single exposure can result in damage to: respiratory system, eyes, and mucous membranes	
Specific organ toxicity repeated exposure	Not Classified	
Aspiration hazard	Not Classified	
Symptoms/injuries after inhalation	See Section 4	
Symptoms/injuries after skin contact	See Section 4	
Symptoms/injuries after eye contact	See Section 4	
Symptoms/injuries after ingestion	See Section 4	
Chronic symptoms	Not Classified	

SECTION 12: Ecological information

12.1	Toxicity	
No Data		
12.2	Persistence and degradability	
No Data		
12.3	Bioaccumlative potential	
No Data		

12.4 Mobility in soil

No Data

12.5 Other adverse effect

No Data

SECTION 13: Disposal Considerations				
13.1 Waste Treatment methods				
Waste treatment methods	Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without NPDES permit.			
Waste disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released to the environment.			

SECTION 14: Transportation information

14.1 UN number, proper shipping name, class and packaging groups.

Domestic Ground Non-Bulk Shipments

UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

14.2 Additional information

RED HOT

Safety Data Sheet

Not available

SECTION 15: Regulatory Information

15.1 Federal regulations

TSCA Inventory: The components of this product are listed.

SARA 311/312 Hazard category (40 CFR 370.2): Acute and chronic health hazard.

SARA 313 Toxic Release Reporting (40CFR Part 372): Nonylphenol, ethoxylated, CAS# 127087-87-0, 1-5% by wt.

SARA 302 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

SARA 304 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

CERCLA Section 102-103 HS Released Reporting (40 CFR part 302-102a): Sodium Hydroxide, CAS# 1310-73-2, RQ 1,000 lbs.

15.2.1 International regulations

No Data

15.2.2 National regulations

No Data

15.3 State Regulations

California Prop. 65

Approximate quantities by weight

- Ethylene glycol (ingested)/ developmental/ CAS# 107-21-1/ Trace
- Ethylene oxide/ cancer/ CAS# 75-21-8/ Trace
- Ethylene oxide / female/ CAS# 75-21-8/ Trace
- Ethylene oxide / developmental, male / CAS# 75-21-8/ Trace

New Jersey Right to Know

Approximate quantities by weight

- SODIUM HYDROXIDE/ CAS# 1310-73-2/ 1-5% by wt.
- 2-BUTOXY ETHANOL/ CAS# 111-76-2/ 0.1-1% by wt.
- TETRASODIUM PYROPHOSPHATE/ CAS# 7722-88-5/ 0.1-1% by wt.
- ETHYLENE GLYCOL/ CAS# 107-21-1/ Trace
- ETHYLENE OXIDE/ CAS# 75-21-8/ Trace

SECTION 16: Other Information

Other information	None
NFPA Health Hazard	3
NFPA Fire Hazard	0
NFPA Reactivity	1
HMIS	
Health	3
Flammability	0
Physical	1
Personal Protection	Х

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.