



ALK-O₂ WASH

Safety Data Sheet

Revision date: June 24, 2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : ALK-O₂ WASH
Product form : Mixture
Product code : 88-00009

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Alkaline/Oxygen Brewery Wash

1.3. Details of the supplier of the safety data sheet

HOBO Inc. - DBA - Triton Chemical
21365 Hamburg Ave.
Lakeville, MN 55044
Phone: (800) 969-4626
Email: info@hoboinc.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

<u>Hazard Code</u>	<u>Hazard Class</u>	<u>Hazard Category</u>
H302	Acute toxicity, oral	4
H314	Skin corrosion/irritation	1B
H335	Specific target organ toxicity, single exposure (Respiratory Tract Irritation)	3

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICES

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal Word (GHS-US): **Danger**

Hazard Statements (GHS-US):

H302: Harmful if swallowed
H314: Causes severe skin burns and eye damage
H335: May cause respiratory irritation

Precautionary statements (GHS-US):

P260: Do not breathe dust/fumes/gas/mist/vapors/spray
P264: Wash thoroughly after handling
P270: Do not eat, drink or smoke when using this product
P271: Use only outdoors or in a well-ventilated area
P280: Wear protective gloves/protective clothing/eye protection/face protection
P310: Immediately call a POISON CENTER or doctor/physician
P321: Specific treatment (see SECTION 4)
P330: Rinse mouth
P363: Wash contaminated clothing before reuse

ALK-O₂ WASH

Safety Data Sheet

P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P403+233: Store in a well ventilated place. Keep container tightly closed
P405: Store locked up
P501: Dispose of contents/container in accordance with local, state and federal authorities.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	CAS #	%
Tetrasodium EDTA	64-02-8	30 - 50
Soda Ash	497-19-8	20 - 40
Sodium Metasilicate Anhydrous	6834-92-0	10 - 20
Sodium Percarbonate	15630-89-4	10 - 20

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing Use artificial respiration and oxygen if needed. If irritation persists, seek medical attention.

First-aid measures after skin contact : IF ON SKIN: Immediately rinse with plenty of water (for at least 15 minutes). If irritation persists, seek medical attention.

First-aid measures after eye contact : IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Get medical attention immediately.

First-aid measures after ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. Harmful if swallowed

Symptoms/injuries after inhalation : May cause headache, nausea and irritation of respiratory tract.

Symptoms/injuries after skin contact : Corrosive to skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Severe irritation or burns to mouth, throat, esophagus and stomach. Harmful if swallowed

Chronic symptoms : No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry powder. Water fog.

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

Explosion hazard : Product is not explosive.

Reactivity : Contact with incompatible materials may result in the release of oxygen. Contact with metals produces hydrogen gas which may form explosive mixtures with air.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.

ALK-O₂ WASH

Safety Data Sheet

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus and protective suit (see item 8).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear proper safety equipment including chemically resistant gloves and safety glasses or goggles. The dust associated with the use of this product is corrosive to the respiratory system. Use in a well ventilated area and use NIOSH approved equipment for nuisance dust when airborne exposure is excessive. Wash thoroughly after handling. Do not breathe dusts. Do not get in eyes or on skin. Do not swallow.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : combustible materials, heat sources, moisture/water. Keep container tightly closed. Keep separate from incompatible materials. Containers can build pressure if exposed to heat (fire).

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Applicable Exposure Limits: In addition to any exposure limits displayed below, exposures to this product should be controlled by limits established for "Particulates Not otherwise Classified (PNOC)": OSHA - 15 mg/m³ (total dust); 5mg/m³ (respirable fraction).

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless stated below:

Sodium Metasilicate Anhydrous, CAS# 6834-92-0			
OSHA PEL (TWA) ppm - if units not stated	OSHA PEL (STEL) ppm - if units not stated	OSHA PEL (Ceiling) ppm - if units not stated	ACGIH-TLV
NA - 2 mg/m ³ recommended	Not Established	Not Established	NA - 2 mg/m ³ recommended

8.2. Exposure controls

Personal protective equipment : Protective safety glasses or goggles. Chemically resistant gloves. Protective clothing. Possibly a face shield and or respiratory protection of the dependent type.

Hand protection : Chemical resistant gloves.

Eye protection : Use chemical resistant safety glasses or goggles. A face shield should be worn when the possibility exists for eye or face contact due to spraying liquid or airborne particles.

Skin and body protection : Wear long sleeves. Wear suitable protective clothing. Possibly a face shield.

Respiratory protection : Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment.

ALK-O₂ WASH

Safety Data Sheet

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Powder
Appearance	: White Powder
Color	: No data available
Odor	: No fragrance.
Odor Threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Complete solubility in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with incompatible materials may result in the release of oxygen. Contact with reactive metals (e.g. aluminum) may result in the generation of hydrogen gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Contact with incompatible materials may result in the release of oxygen. Corrosive in contact with metals. Contact with metallic substances may release flammable hydrogen gas. Contact with strong acids can create excess heat and cause spattering.

10.4. Conditions to avoid

None known

10.5. Incompatible materials

Avoid contact with : Combustible materials. Moisture and or water. Tin. Aluminum. Lead. Zinc. Strong oxidizing agents. Strong reducing agents. strong acids. strong bases and metals.

10.6. Hazardous decomposition products

Thermal decomposition generates : Oxygen. Hydrogen. Hydrogen Chloride. Carbon oxides (CO, CO₂). Nitrogen oxides. Hydrocarbons.

Other decomposition products : No data available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Oral LD50: 1719 mg/kg (rat) Calculated

Dermal LD50: > 2000 mg/kg (rabbit) Calculated

Inhalation LC50: No data

Tetrasodium EDTA, CAS# 64-02-8

ALK-O₂ WASH

Safety Data Sheet

Oral LD50 rat	Dermal LD50 rabbit	Inhalation LC50
1658-2700 mg/kg	No data	No data

Soda Ash, CAS# 497-19-8		
Oral LD50 rat	Dermal LD50 rabbit	Inhalation LC50
3,140 mg/kg	No data	2.3 mg/l (2 hr rat)

Sodium Metasilicate Anhydrous, CAS# 6834-92-0		
Oral LD50 rat	Dermal LD50 rabbit	Inhalation LC50
1500-3200 mg/m3	No data	No data

Sodium Percarbonate, CAS# 15630-89-4		
Oral LD50 rat	Dermal LD50 rabbit	Inhalation LC50
1034 mg/m3	> 2000 mg/kg	No data

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause respiratory irritation.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: No known ingredients over 0.1% that are also carcinogenic.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause headache, nausea and irritation of respiratory tract.
Symptoms/injuries after skin contact	: Highly corrosive to skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Severe irritation or burns to the mouth, throat, esophagus, and stomach. Harmful if swallowed
Chronic symptoms	: No data available.

SECTION 12: Ecological information

- 12.1. **Toxicity**
No Data
- 12.2. **Persistence and degradability**
No Data
- 12.3. **Bioaccumulative potential**
No Data
- 12.4. **Mobility in soil**
No Data
- 12.5. **Other adverse effects**
No Data

SECTION 13: Disposal considerations

- 13.1. **Waste treatment methods**
Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.
- Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

ALK-O₂ WASH

Safety Data Sheet

SECTION 14: Transport information

14.1. UN number, proper shipping name, class and packaging group.:

Domestic Ground Shipments

UN3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE ANHYDROUS) 8, II

14.2. Additional information

SECTION 15: Regulatory information

15.1. US Federal regulations

TSCA Inventory: The components of this product are listed.

SARA Section 311/312, Hazard Category (40CFR 370.2): Acute and Chronic health hazard.

SARA Section 313, Toxic Release Reporting (40CFR Part372): No known ingredients over 1.0% or over 0.1% that are also carcinogenic.

SARA Section 302, EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0%.

SARA Section 304, EHS Release Reporting (40CFR Part 355): No listed substance known over 1.0%.

CERCLA Section 102-103 HS Release Reporting (40 CFR par302-102a): No listed substance known over 1.0%.

15.2. International regulations

No Data

15.2.2. National regulations

No Data

15.3. US State regulations

California Prop. 65:

Approximate quantities by weight:

Propylene Oxide, CAS# 75-56-9, Cancer and Reproductive Harm < 0.00001%

Ethylene oxide, CAS# 75-21-8, Cancer and Reproductive Harm < 0.00001%

SECTION 16: Other information

Indication of changes : None

Other information : None.

NFPA health hazard : 3

NFPA fire hazard : 1

NFPA reactivity : 1

HMIS III Rating

Health : 3

Flammability : 1

Physical : 1

Personal Protection :

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.