

# BERRY BLAST Safety Data Sheet

Revision Date: 1/4/2021

# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

## 1.1 Product Identifier

Trade Name	BERRY BLAST	
Product Form	Mixture	
Product Code	10-00072	
1.2 Relevant identified uses of	the substance or mixture and uses advised against	
Use of Product	Fragrance Blast	
1.3 Details of the Supplier of the safety data sheet		
ChemQuest Inc.		
21365 Hamburg Ave.		
Lakeville, MN 55024		
(877)437-3478		
infocq@chemquestinc.com		
1.4 Emergency telephone num	ber	
Emergency Number	ChemTrec 1-800-424-9300	

# **SECTION 2: Hazards Identification**

## 2.1 Classification of the substance

Classification
----------------

Hazard Code	Hazard Class	Hazard Category
H227	Flammable liquids	4
H315	Skin corrosion/irritation	2
H317	Sensitization, skin	1
H318	Serious eye damage/eye irritation	1
H412	Hazardous to the aquatic environment, chronic toxicity	3

#### HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAEFTY PRACTICES

# 2.2 Label Elements

#### **GHS-US** Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US): Danger

- Hazard Statements (GHS-US):
- H227: Combustible liquid
- H315: Causes skin irritation
- H317: May cause allergic skin reaction
- H318: Causes serious eye damage
- H412: Harmful to aquatic life with long lasting effects

#### Precautionary Statements (GHS-US):

P210: Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

P261: Avoid breathing dust/fumes/gas/mist/spray

P264: Wash thoroughly after handling

P272: Contaminated work clothing should not be allowed out of the workplace

P273: Avoid release into the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

# Safety Data Sheet

P310: Immediately call a POISON CENTER or doctor/physician

P321: Specific treatment (see section 4)

P362: Take off contaminated clothing and wash before reuse

P302+P352: IF ON SKIN: Wash with soap and water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P333+P313: If skin irritation or a rash occurs: Get medical advice/attention

P370+P378: In case of fire: See section 5 for extinction

P403+P235: Store in a well ventilated place. Keep cool

P501: Dispose of contents/container in accordance with local, state and federal authorities.

#### 2.3 Other Hazards

No additional information available

#### 2.4 Unknown acute toxicity (GHS-US)

No Data Available

#### **SECTION 3: Composition/Information on Ingredients**

#### 3.1 Substance

#### Not applicable

#### 3.2 Mixture

Ingredient Name	CAS #	Composition
Water	7732-18-5	>75%
Nonylphenol, ethoxylated	127087-87-0	10-20%
2-butoxyethanol	111-76-2	5-10%
Benzyl Benzoate	120-51-4	1-5%

SECTION 4: First Aid Measures		
4.1 Description of first aid measure	!S	
First-Aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-Aid after inhalation	IF INHALED. Use artificial respiration and oxygen if needed. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If irritation persists, seek medical attention.	
First-Aid after skin contact	IF ON SKIN. Wash with soap and water. Immediately rinse with plenty of water (for at least 15 minutes).	
First-Aid after eye contact	IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician. Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). If irritation persists, seek medical attention.	
First-Aid after ingestion	IF SWALLOWED. Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call physician immediately.	
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms/injuries	Causes skin irritation. May cause allergic skin reaction. Causes serious eye damage.	
Symptoms/injuries after inhalation	May cause headache, nausea and irritation of respiratory tract.	
Symptoms/injuries after skin contact	Causes skin irritation. May cause allergic skin reaction.	
Symptoms/injuries after eye contact	Causes serious eye damage.	
Symptoms/injuries after ingestion	May cause gastrointestinal irritation, nausea, vomiting, and diarrhea if swallowed.	
Chronic symptoms	No data available.	

#### 4.3 Indication of immediate medical attention and special treatment needed

No additional information available

Safety Data Sheet

SECTION 5: Firefighting M	leasures
5.1 Extinguishing media	
Suitable Extinguishing Media	Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray.
5.2 Special hazards arising from	
Fire Hazard	Flash Point 146 F (Closed Cup). However, this product did not sustain combustibility per ASTM 4206, Standard Test Method for Sustained Burning of Liquid Mixtures Using the Small Scale Open-Cup Apparatus.
Explosion Hazard	The product is not explosive.
Reactivity	The product is not reactive under normal conditions.
5.3 Special hazards arising from	the substance or mixture
Firefighting instructions	Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental Re	elease Measures
6.1 Personal precautions, protect	ctive equipment and emergency procedures
General measures	Ventilate area. Avoid breathing vapors, mist or gas. Spill should be handled by trained clean-up crews. For personal protection see Section 8.
6.1.1 For non-emergency persor	nel
Protective equipment	Wear Protective equipment as described in Section 8.
Emergency procedures	Contain the spill. Do not let product enter drains. Remove unnecessary personnel.
6.1.2 For emergency responders	
Protective equipment	Wear Protective equipment as described in Section 8.
6.2 Environmental precautions	
Prevent entry to sewers and public	waters. Notify authorities if liquid enters sewers or publics waters.
6.3 Methods and material for con	ntainment and cleaning up
For containment	Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).
6.4 reference to other sections	
No additional information available	
SECTION 7: Handling and	Storage
7.1 Precautions for safe handlin	g
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Wear proper safety equipment including chemically resistant gloves and safety glasses or goggles. Use with adequate ventilation. Wash thoroughly after handling. Do not get in eyes. Avoid prolonged or repeated contact with skin. Do not breathe mist or vapor. Do not swallow. Store between 50 F & 100 F.
7.2 Conditions for safe storage,	including and incompatibilities
Storage conditions	Store in approved containers only. Keep container in a cool, well ventilated place away from heat sources and incompatible materials (See Section 10.5). Keep container tightly closed.
7.3 Specific end uses	
No additional information	

# SECTION 8: Exposure Controls/Personal Protection

# 8.1 control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless listed stated below:

2-Butoxyethanol, CAS # 111-76-2

# Safety Data Sheet

OSHA PEL (TWA)	OSHA PEL (STEL)	OSHA PEL (Ceiling)	ACGIH-TLV
50 ppm	Not Established	Not Established	20 ppm (TWA)

## 8.2 Exposure Controls

Personal protective equipment	Chemical resistant gloves. Protective clothing. Safety glasses or goggles
Hand protection	Chemical resistant gloves.
Eye protection	Safety glasses or goggles.
Skin and body protection	Wear long sleeves. Wear suitable protective clothing.
Respiratory protection	Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment.

# **SECTION 9: Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties	
Appearance	Tinted Liquid
Color	Purple
Odor	Berry
Odor threshold	No data available
рН	6.5
Relative Evaporation rate (butyl	No data Available
Melting point	No data Available
Freezing point	No data Available
Boiling point	No data Available
Flash point	146 °F (Closed Cup)
Self ignition point	No data Available
Decomposition temperature	No data Available
Flammability (solid, gas)	No data Available
Vapor pressure	No data Available
Relative vapor density at 20° C	No data Available
Relative Density	1 g/ml
Solubility	Water soluble
Log Pow	No data Available
Log Kow	No data Available
Viscosity: Kinematic	No data Available
Viscosity: dynamic	No data Available
Explosive properties	No data Available
Oxidizing properties	No data Available
Explosive Limits	No data Available

#### 9.2 Exposure Controls

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known under normal conditions of use.

## 10.2 Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions

None Known

#### 10.4 Conditions to avoid

None known

#### 10.5 Incompatible Materials

# Safety Data Sheet

Avoid contact with: bases, amines, ammonia, aluminum, chlorine, oxidizers, strong acids, acid chlorides, inorganic acids, inorganic bases, and hydrogen peroxide

#### 10.6 Hazardous decomposition products

Thermal decomposition can result in: hydrocarbons, carbon oxides, nitrogen oxides, and organic compounds

#### **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Oral LD50: > 2000 mg/kg (rat) Calculated Dermal LD50: > 2000 mg/kg (rabbit) Calculated Inhalation LD50: > 5 mg/l (Dust/mist (Rat)) Calculated Skin Corrosion/irritation Causes skin irritation Serious eye damage/irritation Causes serious eye damage Respiratory or skin sensitization May cause allergic skin reaction Germ cell mutagenicity Not Classified Carcinogenicity Not Classified Not Classified Reproductive toxicity Specific organ toxicity single exposure Not Classified Specific organ toxicity repeated exposure Not Classified Not Classified Aspiration hazard Symptoms/injuries after inhalation See Section 4 Symptoms/injuries after skin contact See Section 4 Symptoms/injuries after eye contact See Section 4 Symptoms/injuries after ingestion See Section 4 Chronic symptoms Not Classified

#### SECTION 12: Ecological information

# 12.1 ToxicityNo Data12.2 Persistence and degradability

No Data

#### 12.3 Bioaccumlative potential

No Data

#### 12.4 Mobility in soil

No Data

#### 12.5 Other adverse effect

No Data

## SECTION 13: Disposal Considerations

13.1 Waste Treatment methods	
Waste treatment methods	Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without NPDES permit.
Waste disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released to the environment.

## **SECTION 14: Transportation information**

## 14.1 UN number, proper shipping name, class and packaging groups.

#### Domestic Ground Non-Bulk Shipments

NOT DOT REGULATED

#### 14.2 Additional information

Not available

Safety Data Sheet

#### **SECTION 15: Regulatory Information**

#### 15.1 Federal regulations

TSCA Inventory: The components of this product are listed.

SARA 311/312 Hazard category (40 CFR 370.2): Acute and chronic health hazard, fire hazard.

SARA 313 Toxic Release Reporting (40CFR Part 372): 2-butoxyethanol, CAS# 111-76-2, 5-10% by wt./ Nonylphenol, ethoxylated, CAS# 127087-87-0, 10-20% by wt.

SARA 302 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic. SARA 304 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic. CERCLA Section 102-103 HS Released Reporting (40 CFR part 302-102a): 2-butoxyethanol, CAS# 111-76-2, RQ no listed value, see 50 Federal Register 13456 for RQ lbs.

#### 15.2.1 International regulations

No Data

15.2.2 National regulations

No Data

#### 15.3 State Regulations

#### California Prop. 65

Approximate quantities by weight

- Ethylene glycol (ingested)/ developmental/ CAS# 107-21-1/ Trace
- Ethylene oxide/ cancer/ CAS# 75-21-8/ Trace
- Ethylene oxide / developmental, female/ CAS# 75-21-8/ Trace
- Ethylene oxide / developmental, male / CAS# 75-21-8/ Trace

#### New Jersey Right to Know

Approximate quantities by weight

- 2-BUTOXY ETHANOL/ CAS# 111-76-2/ 5-10% by wt.
- ETHYL BUTYRATE/ CAS# 105-54-4/ 0.1-1% by wt.
- BENZYL ACETATE/ CAS# 140-11-4/ 0.1-1% by wt.
- ACETOPHENONE/ CAS# 98-86-2/ 0.1-1% by wt.
- ETHYLENE GLYCOL/ CAS# 107-21-1/ Trace
- MAGNESIUM NITRATE/ CAS# 10377-60-3/ Trace
- GLYCERIN/ CAS# 56-81-5/ Trace
- ETHYLENE OXIDE/ CAS# 75-21-8/ Trace

#### **SECTION 16: Other Information**

Other information NFPA	None
NFPA Health Hazard	2
NFPA Fire Hazard	2
NFPA Reactivity	0
HMIS	
Health	2
Flammability	2
Physical	0
Personal Protection	Х

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it

# Safety Data Sheet

relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.